



**Company Address**

**Eckhardt Steel & Alloys**  
 12A Gr Flr., Shreepati Castle,  
 D Wing, , 11th Khetwadi Lane,  
 Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
<b>STAINLESS STEEL EFW / WELDED PIPES</b>						
PIPE; SEAMLESS; ; ASME B36.19M ; BEVELED END; SCHEDULE 10S; STAINLESS STEEL, DUPLEX, ASTM	NB 80	10	88.9		5	30.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.19M ; BEVELED END; 100% JOINT	NB 350	10	355.6		1	5.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL, DUPLEX, ASTM A928 GRADE S32750 CLASS 3	NB 350	10	355.6		1	5.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL, DUPLEX, ASTM A928 GRADE S32750 CLASS 3	NB 500	10	508		1	4.700
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL, DUPLEX, ASTM A928 GRADE S32750 CLASS 3	NB 500	10	508		1	3.330
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 60; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 250	60	273		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 60; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 250	60	273		1	6.850
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 3	NB 350	20	323.3		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM; ; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 30; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 3	NB 300	30	323.3		1	6.000



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 350	10	355.6		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 350	10	355.6		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 350	10	355.6		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 350	10	355.6		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 350	20	355.6		1	11.770
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 350	20	355.6		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 3	NB 350	20	355.6		1	5.500
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 120; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STAMPED) CLASS 1, NACE	NB 350	120	355.6		1	11.270



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 400	10	406.4		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM ;_ ; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 400	10	406.4		1	8.920
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 400	20	406.4		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 400	20	406.4		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 400	20	406.4		1	11.300
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 400	20	406.4		1	11.300
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 3	NB 400	STD	406.4		1	4.300
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 3	NB 400	STD	406.4		1	4.590



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	10	457.2		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 450	40	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 3	NB 450	STD	457.2		1	6.000
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 3	NB 450	STD	457.2		1	5.910
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	10	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	10	508		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	10	508		1	11.800



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	10	508		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	20	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	20	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	20	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	20	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	20	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	20	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 60; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	60	508		1	5.890





**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	SCH XS	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	SCH XS	508		1	5.660
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	SCH XS	508		1	5.990
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	SCH XS	508		1	5.670
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	SCH XS	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 500	SCH XS	508		1	5.900
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 600	10	609.6		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 600	10	609.6		1	-





**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 600	10	609.6		1	11.570
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.19M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 10S; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 600	10	609.6		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 600	20	609.6		1	3.910
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; SCHEDULE 20; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	20	762		1	4.300
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.840
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.700
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.700



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL, ASTM A358 GRADE 304/304L (DUAL-STAMPED), CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL, ASTM A358 GRADE 304/304L (DUAL-STAMPED), CLASS 1	NB 750	STD	762		1	11.800



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL, ASTM A358 GRADE 304/304L (DUAL-STAMPED), CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL, ASTM A358 GRADE 304/304L (DUAL-STAMPED), CLASS 1	NB 750	STD	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	5.640
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	4.400
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	4.550
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M ; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; STANDARD WEIGHT; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	STD	762		1	3.440
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	XS	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	XS	762		1	11.790



**Company Address**

**Eckhardt Steel & Alloys**

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

**P** : +91-22-2385 0000 | 6651-8605

**F** : +91-22-23880080

**E** : [esa@esteel.co.in](mailto:esa@esteel.co.in)

**E** : [eckhardtsteel@gmail.com](mailto:eckhardtsteel@gmail.com)

**W** : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	XS	762		1	9.340
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	XS	762		1	11.800
PIPE; ELECTRIC FUSION WELDED, STRAIGHT SEAM;_; ASME B36.10M; BEVELED END; 100% JOINT EFFICIENCY, 100% RT; EXTRA STRONG; STAINLESS STEEL ASTM A358 GR 304/304L (DUAL STMPD) CLASS 1	NB 750	XS	762		1	11.800