



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
STAINLESS STEEL ERW PIPE						
PIPE; EFW STR SM;DN 450; ASME B36.10M; BE END; 100% JE 100% RT; XS; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 450	XS	457.2	12.7	5	60.000
PIPE; EFW STR SM;DN 450; ASME B36.10M; BE END; 100% JE 100% RT; SCH 40; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 450	40	457.2	14.27	1	11.250
PIPE; EFW STR SM;DN 450; ASME B36.10M; BE END; 100% JE 100% RT; SCH 40; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 450	40	457.2	14.27	1	11.800
PIPE; EFW ERW STRAIGHT WELDED SM;DN 450; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 450	80	457.2	23.83	1	10.530
PIPE; EFW ERW STRAIGHT WELDED SM;DN 450; ASME B36.10M; BE END; 100% JE 100% RT; SCH 120; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 450	120	457.2	34.94	1	11.500
PIPE; EFW ERW STRAIGHT WELDED SM;DN 500; ASME B36.10M; BE END; 100% JE; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 500	20	508	9.5	2	17.470
PIPE; EFW ERW STRAIGHT WELDED SM;DN 500; ASME B36.10M; BE END; 100% JE 100% RT; STD WT; CS ASTM A672 GR C65 CL 22	NB 500	STD	508	9.5	1	11.120
PIPE; EFW ERW STRAIGHT WELDED SM;DN 500; ASME B36.10M; BE END; 100% JE 100% RT; XS; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 500	XS	508	12.7	1	11.290
PIPE; EFW ERW STRAIGHT WELDED SM;DN 500; ASME B36.10M; BE END; 100% JE 100% RT; SCH 40; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 500	40	508	15	1	11.800
PIPE; EFW ERW STRAIGHT WELDED SM;DN 500; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 500	80	508	26	1	11.850
PIPE; EFW STR SM;DN 500; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 500	80	508	26	1	11.850
PIPE; EFW STR SM;DN 500; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 500	80	508	26	1	11.840



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; EFW STR SM;DN 500; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 500	80	508	26	1	11.620
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 600	20	609.6	9.5	6	72.000
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 600	20	609.6	9.5	1	11.800
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 600	20	609.6	9.5	1	11.800
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 600	20	609.6	9.5	1	11.800
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 40; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 600	40	609.6	17	1	11.810
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 40; ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 600	40	609.6	17	1	11.560
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 40; ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 600	40	609.6	17	1	11.500
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	11.800
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	8.550
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	8.540
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	9.940



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	8.540
CS PIPE; ELECTRIC FUSION WELDED STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	11.500
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	11.800
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	11.500
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 80; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	80	609.6	31	1	3.280
PIPE; EFW STR SM;DN 600; ASME B36.10M; BE END; 100% JE 100% RT; SCH 120; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 600	120	609.6	46	1	11.500
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750	20	762	9.5	1	11.870
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750	20	762	9.5	1	11.560
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; SCH 20; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750	20	762	9.5	1	11.600
PIPE SAW 30" SCH 20 X 12M API 5L GR B		20	762	9.5	1	12.040
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE; STD WT; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750	STD	762	9.5	1	12.050
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; XS; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750	XS	762	12.7	1	10.020
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750	40	762	17.48	1	10.280
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750		762	17.48	1	10.320



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750		762	17.48	1	10.120
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750		762	17.48	1	10.050
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750		762	17.48	1	10.000
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750		762	17.48	1	7.230
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 750		762	17.48	1	10.250
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 20.62 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 750		762	20.62	1	11.800
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 20.62 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 750		762	20.62	1	11.600
PIPE; EFW STR SM;DN 750; ASME B36.10M; BE END; 100% JE 100% RT; 20.62 MM WALL; CARBON STEEL EFW PIPE, ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 750		762	20.62	1	7.120
Line Pipe, DN 750, 57.15mm WT, BE, EFW STR SM, ASME B36.10M, 100% JE, 100% RT, CS ASTM A671 GR CC65 CL 22 S2 AT -46C, 1, 144m, UNUSED	NB 750		762	57.15	1	11.200
Line Pipe, DN 750, 57.15mm WT, BE, EFW STR SM, ASME B36.10M, 100% JE, 100% RT, CS ASTM A671 GR CC65 CL 22 S2 AT -46C, 1, 144m, UNUSED	NB 750		762	57.15	1	11.800
Line Pipe, DN 750, 57.15mm WT, BE, EFW STR SM, ASME B36.10M, 100% JE, 100% RT, CS ASTM A671 GR CC65 CL 22 S2 AT -46C, 1, 144m, UNUSED	NB 750		762	57.15	1	11.800
Line Pipe, DN 750, 57.15mm WT, BE, EFW STR SM, ASME B36.10M, 100% JE, 100% RT, CS ASTM A671 GR CC65 CL 22 S2 AT -46C, 1, 144m, UNUSED	NB 750		762	57.15	1	11.800
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE; STD WT; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 900	STD	914.4	9.53	1	11.800



Company Address

Eckhardt Steel & Alloys

12A Gr Flr., Shreepati Castle,

D Wing, , 11th Khetwadi Lane,

Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE; STD WT; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 900	STD	914.4	9.53	1	11.800
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE; STD WT; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 900	STD	914.4	9.53	1	11.800
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE; STD WT; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 900	STD	914.4	9.53	1	12.000
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE; STD WT; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 900	STD	914.4	9.53	1	12.000
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE; STD WT; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 900	STD	914.4	9.53	1	11.800
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE 100% RT; SCH 30; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 900	30	914.4	15	1	11.500
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE 100% RT; 41.28 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 900		914.4	41.28	1	11.840
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE 100% RT; 41.28 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 900		914.4	41.28	1	9.870
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE 100% RT; 41.28 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 900		914.4	41.28	1	11.840
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE 100% RT; 41.28 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 900		914.4	41.28	1	11.560
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE 100% RT; 41.28 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 900		914.4	41.28	1	1.870
PIPE; EFW STR SM;DN 900; ASME B36.10M; BE END; 100% JE 100% RT; 66.67 MM WT; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 900		914.4	66.67	1	6.400
PIPE; EFW STR SM;DN 1050; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 1050		1066.8	17.48	1	11.800
PIPE; EFW STR SM;DN 1050; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 1050		1066.8	17.48	1	11.500



Company Address

Eckhardt Steel & Alloys
 12A Gr Flr., Shreepati Castle,
 D Wing, , 11th Khetwadi Lane,
 Mumbai 400 004, India.

P : +91-22-2385 0000 | 6651-8605

F : +91-22-23880080

E : esa@esteel.co.in

E : eckhardtsteel@gmail.com

W : <http://www.eckhardtsteel.com>

DESCRIPTION	SIZE	SCH	OD	THK	PCS	METER
PIPE; EFW STR SM;DN 1050; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 1050		1066.8	17.48	1	11.800
PIPE; EFW STR SM;DN 1050; ASME B36.10M; BE END; 100% JE 100% RT; 17.48 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 1050		1066.8	17.48	1	11.800
PIPE; EFW STR SM;DN 1200; ASME B36.10M; BE END; 100% JE 100% RT; 19.05 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 1200		1219.2	19.05	1	11.500
PIPE; EFW STR SM;DN 1200; ASME B36.10M; BE END; 100% JE 100% RT; 19.05 MM WALL; CS ASTM A671 GR CC65 CL 12 S2 AT -46C	NB 1200		1219.2	19.05	1	11.800
PIPE; EFW STR SM;DN 1400; ASME B36.10M; BE END; 100% JE 100% RT; 30.18 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 1400		1422.4	30.18	1	12.130
PIPE; EFW STR SM;DN 1400; ASME B36.10M; BE END; 100% JE 100% RT; 30.18 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 1400		1422.4	30.18	1	12.040
MS PIPE; EFW STR SM;DN 1400; ASME B36.10M; BE END; 100% JE 100% RT; 30.18 MM WALL; CS ASTM A671 GR CC65 CL 22 S2 AT -46C	NB 1400		1422.4	30.18	1	12.130